NETGEAR

NETGEAR GS305PP Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : NETGEAR

Artikel-Code: GS305PP-300EUS




NETGEAR GS305PP. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 4. Vollduplex. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. DC input Spannung: 54 V. Netzstecker: DC-Anschluss. Power over Ethernet (PoE). Wandmontage





Management features		Power	
Switch type *	Unmanaged	Input current	1.66 A
Quality of Service (QoS) support	1	Power consumption (typical)	2.89 W
Ports & interfaces		Power consumption (max)	88.89 W
Basic switching RJ-45 Ethernet ports 4 quantity *	4	Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	 Image: A start of the start of
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power over Ethernet plus (PoE+) ports quantity	4
Gigabit Ethernet (copper) ports quantity	5	Power over Ethernet (PoE) power per port	30 W
Power connector	DC-in jack	Total Power over Ethernet (PoE)	83 W
Network		budget	
	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Operational conditions	
Networking standards *		Operating temperature (T-T)	0 - 40 °C
10G support *	×	Storage temperature (T-T)	-20 - 70 °C
	10BASE-T, 100BASE-TX, 1000BASE-	Operating relative humidity (H-H)	10 - 90% 5 - 95%
Copper ethernet cabling technology	Т	Storage relative humidity (H-H) Heat dissipation	304 BTU/h
Full duplex	1	·	504 510/11
Auto MDI/MDI-X	1	Weight & dimensions	
Auto-sensing	1	Width	158 mm 101 mm
Auto-negotiation	1	Depth Height	29 mm
Cable length detection	1	Weight	410 g
Data transmission		Packaging content	5
Switching capacity *	10 Gbit/s	Manual	1
Forwarding rate	1.448 Mpps	Packaging data	
MAC address table *	2000 entries		260
Latency (1 Gbps)	2.4 μs	Package width Package depth	269 mm 73 mm
Jumbo frames support	9216	Package height	215 mm
Jumbo frames Packet buffer memory	9216 128 MB	Package weight	1.3 kg
Design	120 MB	Certificates	- 5
Rack mounting *	×		CE Mark, FCC Part 15 Class B, IC
Product colour	Black	Certification	Class B, RCM, CCC, VCCI, CB, CE VD, CCC
Housing material	Metal	Logistics data	
Reset button		Master (outer) case width	237 mm
LED indicators	Activity, Link, PoE, Power	Master (outer) case length	469 mm
Wall mountable	v	Master (outer) case height	306 mm

Performance		Logistics data	
Mean time between failures (MTBF)	6710127 h	Master (outer) case gross weight	8.52 kg
Power		Products per master (outer) case	6 pc(s)
Power source *	DC		
DC input voltage	54 V		





606449164916

0606449164916

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.